



Simple ventilation. Sophisticated technology.

Respironics, the originator of bi-level technology, has developed Trilogy 100, a remarkably versatile ventilator that meets the needs of adult and pediatric patients alike. Leveraging well-known Respironics technology, Trilogy 100 provides clinicians with an array of treatment options by delivering Volume Control Ventilation or Pressure Control Ventilation through either noninvasive or invasive methods with advanced leakage compensation. This built-in flexibility makes Trilogy 100 ideal in treating a wide range of respiratory conditions or those respiratory conditions that require frequent changes to the patient's prescription.







Trilogy 100's versatility allows you to deliver portable or in-home patient therapy using an AC power source, an external battery, a detachable battery or the device's internal battery. The detachable battery provides up to three hours of portable therapy while the internal battery delivers three additional hours of cordless operation.

Another of Trilogy 100's powerful features is DirectView - a highly sophisticated reporting software system. DirectView allows logging and recording of events and treatment actions and is easy to use for both physicians and caretakers.

Features:

- . For adults and children (> 5 kg)
- · Volume and pressure modes
- · Invasive and non-invasive capabilities
- · Lightweight design (11 lbs, 5 kgs)
- · Internal and detachable batteries
- · Easy-to-use interface
- · DirectView reporting software-ready
- Dual prescription settings
- AVAPS (Average Volume Assured) Pressure Support) technology
- Digital Auto-Trak
- · Removable air path



Ordering information

Description	Item no.
Trilogy 100 Ventilator, International	1054096
Trilogy 100 Ventilator, Germany	1054097
Trilogy 100 Ventilator, Japan	1054655
Trilogy 100 Ventilator, Australia	AU1054096
Trilogy 100 Ventilator, Latin America	LA1054096
Trilogy 100 Ventilator, Canada	CA1054096
Trilogy 100 Ventilator, USA	1054260

Specifications

specifications		
Environmental		
Temperature	5°C - 40°C	
Relative humidity	15% - 95%	
Atmospheric pressure	110 kPa to 60 kPa	
Physical		
Weight	11 lbs, 5 kgs	
Size	4.5 × 6.88 × 9.5",	
	16.69 x 38.45 x 22.52 cm	
Controls		
Circuit types	Active with PAP, passive	
Ventilation types	Volume control, pressure	
	Control, bilevel	
Volume modes	AC, SIMV (w/PS), CV	
Pressure modes	CPAP, S, S/T, T, PC-SIMV (w/PS)	
IPAP	4 – 50 cm H ₁ 0	
EPAP	0 - 25 cm H ₂ 0 for active circuits	
500000000	4 – 25 cm H ₁ 0 for passive circuits	
CPAP	4 - 20 cm H ₁ 0 for passive circuits	
PEEP	0 - 25 cm H ₁ 0 for active circuits	
	4 - 25 cm H ₁ 0 for passive circuits	
Pressure support differential	0 – 30 cm H ₁ 0	
Tidal volume	50 – 2000 ml	
Breath rate	0 – 60 for AC mode	
a respective approximation	1 – 60 for all other modes	
Inspiratory time	0.3 – 5.0 secs	
Rise time	1-6	
Ramp start pressure	0 - 25 cm H ₁ 0 for active circuits	
	4 - 25 cm H ₁ 0 for passive circuits	
Dance Innerth	4 – 19 cm H ₁ 0 in CPAP mode Off, 5 – 45 minutes	
Ramp length Flex	Off, 1 – 3	
Flow trigger sensitivity	1 – 9 l/min	
Flow cycle	10% – 40%	
Apnea rate	4 – 60 BPM	
Measured patient parameters		
Tidal volume	0 – 2000 ml	
Minute ventilation	0 – 99 I/min	
Leak rate	0 - 200 l/min	
Respiratory rate	0 - 80 BPM	
Peak inspiratory flow	0 – 200 l/min	
Peak inspiratory pressure	0 – 99 cm H _i 0	
Mean airway pressure	0 – 99 cm H,0	
% Patient triggered breaths	0 - 100%	
I:E ratio	9.9:1 to 1:9.9	
Alarms		
Circuit disconnect	Off, 10 - 60 secs	
Apnea	Off, 10 - 60 secs	
High tidal volume	Off, 50 - 2000 ml	
Low tidal volume	Off, 50 – 2000 ml	
High minute ventilation	Off, 1 – 99 l/min	
Low minute ventilation	Off, 1 – 99 l/min	
High respiratory rate	Off, 4 – 80 BPM	
I was a super transfer on Bridge	OW 4 OO DDM4	

Refer to the Trilogy 100 clinical manual for complete product information.

Respironics, DirectView, Auto-Trak, AVAPS and Trilogy are trademarks of Respironics, Inc. and its affiliates. All rights reserved.



©2008 Koninklijke Philips Electronics N.V. All rights are reserved. Philips Healthcare reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

CAUTION: US federal law restricts these devices to sale by or on the order of a physician.

Broudy KB

Europe, Middle East, Africa

Asia Pacific

Low respiratory Rate

Philips Respironics 1010 Murry Ridge Lane Murrysville, PA 15668

Off, 4 - 80 BPM